




# Fresh & Smooth Moisturizing Hand Sanitizer

Product Highlighted: *Floraesters K-20W® Jojoba*



This light and fresh hand sanitizer with Floraesters® K-20W Jojoba is formulated to leave skin feeling hydrated without a tacky residue. The formula contains a high amount of ethanol (70%) to sanitize the hands while the unique synergy of Floraesters K-20W Jojoba and glycerin moisturizes the skin (ref. CS09-014<sup>1</sup>), leaving a silky-smooth skin feel. 

Phase	Trade/Common Name	INCI Name	Manufacturer	%wt/wt
A.	Deionized Water Carbopol® Ultrez 10 Polymer	Water Carbomer	----- The Lubrizol Corporation	q.s. 0.50
B.	Glycerine 99.7% USP Kosher Klucel® Hydroxypropylcellulose HCS Natrosol® 250 HR CS Deionized Water	Glycerin Hydroxypropylcellulose Hydroxyethylcellulose Water	Acme-Hardesty Co Ashland, Inc. Ashland, Inc. -----	1.00 0.004 0.003 q.s.
C.	Ethanol Solutions 3, UN 1170, PG II, SDA 40-2, 200 Proof	Alcohol Denat.	Remet Corporation	65.00
D.	Ethanol Solutions 3, UN 1170, PG II, SDA 40-2, 200 Proof <b>Floraesters K-20W Jojoba</b>	Alcohol Denat. <b>Hydrolyzed Jojoba Esters (and) Water (Aqua)</b>	Remet Corporation <b>Floratech</b>	5.00 <b>0.50</b>
E.	AMP-Ultra® PC 2000, Neutralizing Amine	Aminomethyl Propanol	Angus Chemical Company	q.s.
<b>Total</b>				<b>100.00</b>

## Mixing Procedure

1. Add the Carbopol Ultrez 10 Polymer to the deionized water of Phase A at room temperature. Begin mixing with moderate propeller agitation until the Carbopol Ultrez 10 Polymer is completely hydrated.
2. In a separate vessel, mix all ingredients of Phase B with moderate propeller agitation. Heat to 35-40°C. Keep mixing until the Klucel Hydroxypropylcellulose HCS and the Natrosal 250 HR CS are completely hydrated. Cool to room temperature.
3. Add Phase B to Phase A at room temperature with moderate propeller agitation.
4. Add Phase C to Phase AB with moderate propeller agitation. The mixture will begin to gel.
5. In a separate vessel, mix all ingredients of Phase D before adding to Phase ABC with moderate propeller agitation.
6. Add Phase E to Phase ABCD with moderate propeller agitation to completely neutralize the Carbopol Ultrez 10 Polymer.

<sup>1</sup> Floratech Claim Sheet [CS09-014](#): Increased Skin Hydration with K-20W Jojoba Plus Glycerin

**Typical Properties:** pH: 6 - 7  
Viscosity: 3 - 8kCP

Note: The information herein is based on our research and the research of others and is believed to be accurate. No guarantee of accuracy is made and the products are provided without warranty, expressed or implied and upon condition that purchasers shall make their own tests to determine the suitability of such products for their particular purposes. Likewise, statements concerning the possible use of these products are not intended as recommendations to use these products in infringement of any patent or in the treatment, prevention, or cure of any medical condition. INCI/trade names must be verified with each manufacturer. (Cleared for Public Disclosure)