

FLORATECH[®] ASIA
6 FL., No. 360, RUEI GUANG ROAD
NEIHU, TAIPEI, TAIWAN, ROC
PHONE: 886 2 8751 6060
FAX: 886 2 8751 6363

FLORATECH[®] AMERICAS
291 EAST EL PRADO COURT
CHANDLER, ARIZONA 85225
PHONE: 480-545-7000
FAX: 480-892-3000

FLORATECH[®] EU
VIA TANARO 15, 20017 RHO
MILAN, ITALY
PHONE: 39 02 93 04946
FAX: 39 02 93 50 8238

see www.floratech.com to find your local Floratech representative

Jojoba Shampoo

Product highlighted: Florasolvs[®] PEG-120 Jojoba

Florasolvs PEG-120 Jojoba adds viscosity and foam stability to this basic shampoo.

Phase	Trade Name	INCI Name	Supplier	%wt./wt.
A.	Deionized Water	Water		Q.S.
B.	Rhodacal A-246-L	Sodium C14-16 Olefin Sulfonate	Rhône-Poulenc	28.00
	Tego-Betain C	Cocamidopropyl Betaine	Goldschmidt	6.30
	Ninol 40-CO	Cocamide DEA	Stepan	2.00
	Florasolvs PEG-120 Jojoba	Jojoba Wax PEG-120 Esters	Floratech	4.00
C.	Ammonium Chloride (10% Solution) Preservative	Ammonium Chloride (and) Water - - - -	BASF	2.50 Q.S.
D.	Fragrance	Fragrance		Q.S.
			TOTAL:	100.00

Mixing Procedure:

1. Heat water to 65-70°C.
2. Add Phase B in order listed to Phase A with moderate propeller agitation. Cool to 40-45°C.
3. Add Phase C and mix until uniform.
4. Add Phase D and mix until uniform. Avoid stirring air into final product.

Note: The information herein is based on our research and the research of others and is believed to be accurate. No guarantee of their accuracy is made and the products discussed are sold without warranty, expressed or implied, and upon condition that purchasers shall make their own tests to determine the suitability of such products for their particular purposes. Likewise, statements concerning the possible use of these products are not intended as recommendations to use these products in infringement of any patent.