

FLORATECH® ASIA
 6 FL., No. 360, RUEI GUANG ROAD
 NEIHU, TAIPEI, TAIWAN, ROC
 PHONE: 886 2 8751 6060
 FAX: 886 2 8751 6363

FLORATECH® AMERICAS
 291 EAST EL PRADO COURT
 CHANDLER, ARIZONA 85225
 PHONE: 480-545-7000
 FAX: 480-892-3000

FLORATECH® EU
 VIA TANARO 15, 20017 RHO
 MILAN, ITALY
 PHONE: 39 02 93 04946
 FAX: 39 02 93 50 8238

see www.floratech.com to find your local Floratech representative

Jojoba / Almond Body Butter

Product highlighted: Floraesters® 15, Floraesters 30, Florasun® 90

A rich bodied, creamy moisturizer containing jojoba esters, almond oil and cocoa butter. This product demonstrates the stable emolliency of jojoba esters and high oleic sunflower oil.

| Phase | Trade Name | INCI Name | Supplier | % wt./wt. |
|--------------|------------------------------|--|----------------------|--------------|
| A. | Deionized Water | Water | | 66.06 |
| | Versene Na2 | Disodium EDTA | Dow | 0.03 |
| B. | Glycerin USP | Glycerin | Acme-Hardesty | 5.00 |
| | Keltrol CG-T | Xanthan Gum | CP Kelco | 0.30 |
| C. | Sweet Almond Oil | Prunus Amygdalus Dulcis (Sweet Almond) Oil | Natural Oils | 5.00 |
| | Floraesters 15 | Jojoba Esters (and) Tocopherol | Floratech | 1.00 |
| | Floraesters 30 | Jojoba Esters (and) Tocopherol | Floratech | 3.00 |
| | Cocoa Butter (Maria Grade) | Theobroma Cacao (Cocoa) Seed Butter | Lambent Technologies | 5.00 |
| | Florasun 90 | Helianthus Annuus (Sunflower) Seed Oil (and) Tocopherol | Floratech | 2.00 |
| | SF-1202 | Cyclopentasiloxane | GE Silicones | 4.00 |
| | DC 200 Dimethicone | Dimethicone | Dow | 0.50 |
| | Lexemul 561 | Glyceryl Stearate (and) PEG-100 Stearate | Inolex | 4.00 |
| | Emulgade PL | Cetearyl Glucoside (and) Cetearyl Alcohol | Cognis | 3.00 |
| D. | Preservative | Preservative | ----- | Q.S. |
| E. | Powdered Caramel #858 | Caramel | Sethness Caramel | 0.01 |
| | Almond Fragrance CTH 030707C | Fragrance | Orchidia | 0.20 |
| TOTAL | | | | 100.0 |

Mixing Procedure:

1. Add Versene Na2 to the water, stirring at 75°C.
2. Mix the Keltrol CG-T in the glycerin. Add Phase B to Phase A with rapid stirring at 75°C.
3. Combine all ingredients of Phase C at 75°C with propeller agitation. Add Phase C to Phase AB at 75°C with propeller agitation.
4. Reduce temperature of the mix to 50°C and add Phase D to Phase ABC with propeller agitation.
5. Reduce temperature to 40° - 45°C and add Phase E to Phase ABCD, with propeller agitation.

Note: The information herein is based on our research and the research of others and is believed to be accurate. No guarantee of their accuracy is made and the products discussed are sold without warranty, expressed or implied, and upon condition that purchasers shall make their own tests to determine the suitability of such products for their particular purposes. Likewise, statements concerning the possible use of these products are not intended as recommendations to use these products in infringement of any patent.