

FLORATECH[®] ASIA
 6 FL., No. 360, RUEI GUANG ROAD
 NEIHU, TAIPEI, TAIWAN, ROC
 PHONE: 886 2 8751 6060
 FAX: 886 2 8751 6363

FLORATECH[®] AMERICAS
 291 EAST EL PRADO COURT
 CHANDLER, ARIZONA 85225
 PHONE: 480-545-7000
 FAX: 480-892-3000

FLORATECH[®] EU
 VIA TANARO 15, 20017 RHO
 MILAN, ITALY
 PHONE: 39 02 93 04946
 FAX: 39 02 93 50 8238

see www.floratech.com to find your local Floratech representative

Hair Styling Clay

Products highlighted: Florasolvs[®] PEG-150 Hydrogenated Jojoba, Florasun[®] 90, Floraesters[®] 20, Floraesters 15

Florasolvs PEG-150 Hydrogenated Jojoba provides water-soluble jojoba emolliency, viscosity adjustment and hold capability in this hair care product. Floraesters 20 & 15 add structure, Florasun 90 contributes to emolliency, shine and conditioning. The formula provides and adds control and flexibility to your hairstyle as well as shine and conditioning effects.

Phase	Trade Name	INCI Name	Supplier	%wt./wt
A.	White Petrolatum	Petrolatum	Penreco	28.50
	Yellow Beeswax SP 6P	Beeswax	Strahl & Pitsch	6.00
	Bentone Gel VS-5PC	Cyclomethicone (and) Quaternium-18 Hectorite (and) SD Alcohol 40	Elementis Specialties	5.00
	Florasun 90	Helianthus Annuus (Sunflower) Seed Oil (and) Tocopherol	Floratech	5.00
	Floraesters 20	Jjoba Esters (and) Tocopherol	Floratech	3.00
	Floraesters 15	Jjoba Esters (and) Tocopherol	Floratech	7.00
	Talc Supra H	Talc	Luzenac	2.00
	Carnauba Wax #1 Yellow SP63	Copernicia Cerifera (Carnauba) Wax	Strahl & Pitsch	6.00
	B.	Deionized Water	Water	-----
Florasolvs PEG-150 Hydrogenated Jojoba		Jjoba Oil PEG-150 Esters	Floratech	10.00
Preservative		-----	-----	Q.S.
C.	Fragrance (1563-BC)	Fragrance	Int'l Flavors & Frag.	Q.S.
	Covi-Ox T-70	Tocopherol	Cognis	1.00
TOTAL:				100.00

Mixing Procedure:

1. Combine Phase A ingredients and heat to 90°C with propeller agitation. Mix for 20 minutes.
2. Combine Phase B ingredients and mix at 80°C with propeller agitation. When Phase B is completely mixed, add slowly to Phase A with fast propeller agitation.
3. Cool to 75°C and add Phase C components. Pour into a 1/2oz. 53mm thickwall nnp jar while still hot and fluid. Allow time to cool to room temperature before use.

Note: The information herein is based on our research and the research of others and is believed to be accurate. No guarantee of their accuracy is made and the products discussed are sold without warranty, expressed or implied, and upon condition that purchasers shall make their own tests to determine the suitability of such products for their particular purposes. Likewise, statements concerning the possible use of these products are not intended as recommendations to use these products in infringement of any patent.